PIPE DUCTING & ACCESSORIES

SPECIFICATIONS

Alpha Supply

YOUR FIRST CALL FOR HVAC

PIPE DUCTING & ACCESSORIES

Alpha Supply
YOUR FIRST CALL FOR HVAC

Material:
Weather resistant, UV stabilized,
and Flame retardant PVC.

Certification:
UL94-Horizontal Burning test, ASTMG154-UV Resistance test,
ASTM O648-Deflection Temperature under Load test.

Fittings:
A wide variety of fittings to accommodate
your unique configuration.

UV RESISTANT

PVC MATERIAL



PDLE080	PDLE100
A=80mm	A=100mm
B=60mm	B=60mm
C=2m	C=2m



PDFJ080	PDFJ100
A=73mm	A=91mm
B=57mm	B=61mm
C=630mm	C=650mm



PDR50	PDR65
A=50mm	A=65mm
B=50mm	B=65mm
C=20m	C=20m

PIPE DUCTING & ACCESSORIES

Alpha Supply
YOUR FIRST CALL FOR HVAC

UV RESISTANT

PVC MATERIAL



PDFE080	PDFE100
A=88mm	A=113mm
B=69mm	B=73mm
C=107mm	C=144mm



PDCE080	PDCE100
A=84mm	A=108mm
B=69mm	B=75mm
C=101mm	C=98mm



PDJO080	PDJO100
A=88mm	A=111mm
B=69mm	B=72mm
C=51mm	C=52mm



PDTE080	PDTE100
A=88mm	A=111mm
B=143mm	B=165mm
C=110mm	C=138mm
D=67mm	B=72mm



PDEC080	PDEC100
A=84mm	A=114mm
B=68mm	B=73mm
C=82mm	C=107mm
D=110mm	D=145mm



PDWE080	PDWE100
A=81mm	A=108mm
B=72mm	B=75mm
C=109mm	C=142mm
D=208mm	D=225mm

Alpha Supply

YOUR FIRST CALL FOR HVAC

Alpha Supply Pty. Ltd
51 Assembly Drive, Tullamarine, Vic 3043
alphasupply.com.au • sales@alphasupply.com.au • 1300 124 810